Serial No. : 10/550,410
Filed : June 23, 2006

Page : 2 of 8

Amendments to the Claims

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

- 1. (Currently amended) A <u>polypeptide</u> Clostridium difficile lactate dehydrogenase comprising the amine acid sequence of SEQ ID NO: 2, or an amine acid sequence exhibiting at least 70, 80, 90, 95, 96, 97, 98, 99, or 99.5% identity with the amine acid sequence of 80% identical to SEQ ID NO: 2.
- 2. (Currently amended) An isolated nucleic acid molecule encoding the *Clostridium* difficile lactate dehydrogenase as claimed in polypeptide of claim 1.
- 3. (Currently amended) An <u>The</u> isolated nucleic acid molecule <u>of claim 2</u> according to elaim 2, wherein the isolated nucleic acid comprises comprising the nucleotide sequence of <u>the nucleic acid sequence of SEQ ID NO: 1.</u>
- 4. (Currently amended) A nucleic acid vector comprising the <u>isolated</u> nucleic acid molecule of claim 2.
- 5. (Currently amended) A host cell containing comprising the vector of claim 4.
- 6. (Currently amended) A process for producing a polypeptide comprising the Clostridium difficile lactate dehydrogenase according to claim 1 an amino acid sequence with at least 80% identity to SEQ ID NO:2, the process comprising;

 (1) culturing the host cell of claim 5 under conditions sufficient for the production of said the polypeptide[[,]]; and
 (2) recovering said the polypeptide.

Serial No. : 10/550,410
Filed : June 23, 2006

Page : 3 of 8

7. (Currently amended) A vector according to claim 4 The vector of claim 4, wherein said the vector is selected from the group consisting of a plasmid, a virus, and a bacteriophage.

- 8. (Currently amended) A vector according to claim 7 The vector of claim 4, wherein the [[said]] isolated nucleic acid molecule is inserted into the [[said]] vector in proper orientation and correct reading frame such that the [[a]] polypeptide comprising the Clostridium difficile lactate dehydrogenase may be expressed by a cell transformed with the [[said]] vector.
- 9. (Currently amended) A vector according to claim 8 The vector of claim 4, wherein said the isolated nucleic acid molecule is operatively linked to a promoter sequence.
- 10. (Currently amended) An antibody or an-antigen-binding fragment thereof specific against a *Clostridium difficile* lactate dehydrogenase according to claim 1 that binds specifically to the polypeptide of claim 1.
- 11. (Currently amended) An antibody or an antigen-binding fragment thereof according to elaim 10 for use in a A method of treating a treatment or diagnosis of <u>Clostridium difficile</u> infection in a patient the human or animal body, comprising administering to the patient a pharmaceutically effective amount of the antibody or fragment thereof of claim 10.
- 12. (Cancelled)
- 13. (Currently amended) A <u>composition medicament</u>, comprising a therapeutically effective quantity of an antibiotic and an <u>the</u> antibody or [[an]] antigen-binding fragment thereof specific against a *Clostridium difficile* lactate dehydrogenase according to claim 1 of claim 10.
- 14. (Currently amended) A method of treating a A-medicament according to claim 13 for use in a method of treatment or diagnosis of Clostridium difficile infection in a subject the human or animal body, comprising administering a pharmaceutically effective amount of the composition of claim 13.

Serial No. : 10/550,410 Filed : June 23, 2006

Page : 4 of 8

15. (Cancelled)

- 16. (Cancelled)
- 17. (Currently amended) A method of treatment according to The method of claim [[16]] 11, further comprising the step of administering to a patient a therapeutically effective quantity of an antibiotic.
- 18. (Currently amended) A method for detecting the presence of A diagnostic test method for detecting the presence in a sample of a Clostridium difficile lactate dehydrogenase according to claim 1 in a sample, the method comprising the steps of:
- ____i) contacting said the sample with an the antibody or an antigen binding fragment thereof of claim 10 specific against said Clostridium difficile lactate dehydrogenase;
 - ii) detecting [[any]] an antibody-antigen binding reaction; and
- iii) correlating the results of detection step (ii) with the presence of said Clostridium difficile lactate dehydrogenase in said the sample.
- 19. (Currently amended) A method for detecting the presence of an A-diagnostic test method for detecting the presence in a sample of antibody specific against a or antigen binding fragment that binds specifically to Clostridium difficile lactate dehydrogenase according to claim 1 in a sample, the method comprising the steps of:
- i) contacting said the sample with said Clostridium difficile lactate dehydrogenase the composition of claim 1;
 - ii) detecting any antibody-antigen binding reaction; and
- iii) correlating the results of detection step (ii) with the presence of antibody specific against said Clostridium difficile lactate dehydrogenase in said the sample.
- 20. (Currently amended) A diagnostic test method according to The method of claim 18, wherein the sample being is a sample from a patient.

Serial No.: 10/550,410 Filed: June 23, 2006

Page : 5 of 8

21. (Currently amended) A diagnostic test kit, comprising one or more of: for performing a diagnostic test method according to claim 18

the antibody or fragment of claim 10, or the composition of claim 1, or both; and instructions for use.

22. (Currently amended) A pharmaceutical pack A kit for treating the treatment of a Clostridium difficile infection in a patient, comprising:

a therapeutically effective quantity of an antibiotic;

and an antibody or an antigen binding fragment thereof specific against a *Clostridium*difficile lactate dehydrogenase according to claim 1 the antibody or fragment thereof of claim 10;
and

instructions for use.

- 23. (Currently amended) A medicament, method of manufacture, method of treatment, diagnostic test method, diagnostic test kit, or pharmaceutical pack according to claim 13, 16, 18, 19, 21, or 22, said antibiotic being The medicament of claim 13, wherein the antibiotic is selected from the group consisting of vancomycin, ramoplanin, teicoplanin, or and metronidazole.
- 24. (Cancelled)
- 25. (Currently amended) A-medicament, method of manufacture, method of treatment, diagnostic test method, diagnostic test kit, or pharmaceutical pack according to claim 13, 16, 18, 19, 21 or 22, said bacterium The method of claim 15, wherein the *Clostridium difficile* being is resistant to treatment by said the antibiotic alone.
- 26. (Currently amended) A diagnostic test method according to The method of claim 19, wherein the sample being is a sample from a patient.

Serial No. : 10/550,410
Filed : June 23, 2006

Page : 6 of 8

27. (Cancelled)

28. (New) A composition comprising the amino acid sequence of SEQ ID NO:2.

29. (New) An isolated nucleic acid molecule, comprising a nucleic acid sequence at least 80% identical to SEQ ID NO:1.